

## **About us**

#### The Spirit of Innovation



**Global Player.** COLOP is one of the world's leading manufacturers of modern stamps, with over 400 employees worldwide, 120 regular export markets and an export rate of more than 98%. Continuous growth is firmly rooted in COLOP's corporate philosophy, which ensures that the globally increasing demand for high-quality European stamp products can continue to be met in future – it was for this reason that a major expansion of the production capacity at the parent plant in Wels, Austria, and also at the company's second production site in the Czech Republic, have just recently been carried out.



**Innovation & Design.** Since it was founded over 30 years ago, COLOP has been committed to product innovation in the field of state-of-the-art marking devices, particularly stamps. In 2008, for instance, the company introduced 'Green Stamps' into the stamp world. These stamps are made predominantly from recycled or renewable raw materials. Stamps with antibacterial protection are another of the company's significant innovations. Last but not least with the Printer the personalisation of stamps has become a trend.



Marking Solutions. The range of products comprises a large selection of stamp solutions for different applications, including office and pocket stamps, text and date stamps and rectangular and round stamps. COLOP also supplies all the products and systems necessary to ensure a high-quality stamp imprint. The range of services offered by COLOP is rounded off by e-business solutions for the creation of text plates and the sale of stamp products online, as well as software tools for the personalisation of imagecards.



**Quality & environmental management.** COLOP's environmental management system has been ISO 14001 certified for many years, which ensures that all processes have been optimised from an ecological perspective. The company has however also had the conviction to make a voluntary, above-average contribution to environmental issues, going above and beyond the strict EU and national regulations. COLOP has been ISO 9001 certified since 2001. This certification forms the basis for a continual improvement process as part of the company's excellent internal quality management system.



**High tech production.** COLOP attaches great importance to modernity and efficiency in the production process, paying special attention to the energy resources required. Fully automated production and manufacturing of key production lines, ongoing modernisation and upgrading of machinery and constant process optimisations all ensure high quality products and an energy-efficient manufacturing process.


## **Printer Line**

The comprehensive range of self-inking stamps

The Printer Line offers a complete choice of sizes from small and handy up to large and generous - the largest range of formats from round to oval and even a triangle.



Produced in high quality materials for reliable, regular and comfortable use



Almost all common sizes are available from very small up to X-large imprints



Available in all kinds of formats from rectangular to triangular as well as from round to oval and more. For eye-catching and outstanding imprints



Offers a wide range of text-, dater- and text-dater-stamps and even stamps equipped with stock text



## The new Printer

Unlimited personalisation - unique as you

The new COLOP Printer is designed to integrate all the advantages of a self-inking stamp with a modern outstanding design. Numerous patented innovations and fascinating technical details guarantee easier and more precise stamping.

XXL image window for first class personalisation (patent pending)

Extended "private label" area keeps rubber stampmaker in customers' mind

Marketing opportunity brings dealer brand to the end user


Business customisation presents professionals corporate design

Personalisation for private end users makes the stamp unique



## **Outstanding Innovations**

#### Technical features



#### 6 | PRINTER LINE Standard


















#### **MARY COOPER**

28 Hucclecote Road • Gloucester GL5 9TH Tel: 1452 54 33 21 e-mail: mary@cooper.co.uk

14 x 38 mm







#### **GORDON WALKER**

5 Moore Road, Aberdeen AB13 6BE Tel: 1234 80 63 62 mobile: 0555 456 890 e-mail: gordon@walker.co.uk

18 x 47 mm







#### RED SKIES LTD

Advertising Agency
Parker Tower 43
49 Parker St WC2B 5PS London
Tel: 55 74 30 63 00 - Fax: 55 74 30 63 19
e-mail: red@skies\_ltd.co.uk

23 x 59 mm



8 variations

8 variations

| Printer 50                        |            |
|-----------------------------------|------------|
| size of imprint                   | 30 x 69 mm |
| colour of frame                   |            |
| recommended number of lines       | 7          |
| packaging                         |            |
| spare pad                         | E/50/1     |
| optional: Microban                | <b>Ô</b>   |
| new design available from 01-2015 |            |



#### **LANCASTER GARDEN PRODUCTS**


Gardening - Equipment and Supplies

Stockton Lane • York YO65 5UE Tel: 1555 40 01 41

Fax: 1555 40 01 85 e-mail: lancaster@garden.co.uk

e-mail: garden@equip\_supplies.co.uk

30 x 69 mm





## BRITISH CARGO OVERSEAS INTERNATIONAL TRANSPORT LTD

North London Freight Centre York Way, Kings Cross, London N3 8E Tel: 0123 456 7890

Fax: 0123 456 7891 sales@britishcargooverseas.co.uk www.britishcargooverseas.com

37 x 76 mm

#### PRINTER COMPACT LINE | 7







| Printer C 20                |            |
|-----------------------------|------------|
| size of imprint             | 14 x 38 mm |
| colour of handle            |            |
| recommended number of lines | 4          |
| packaging                   | 0 6 6      |
| spare pad                   | E/20       |
| optional: cover             |            |



#### **MARY COOPER**

28 Hucclecote Road • Gloucester GL5 9TH
Tel: 1452 54 33 21
e-mail: mary@cooper.co.uk

14 x 38 mm

| Printer C 30                |            |
|-----------------------------|------------|
| size of imprint             | 18 x 47 mm |
| colour of handle            |            |
| recommended number of lines | 5          |
| packaging                   |            |
| spare pad                   | E/30       |
| optional: cover             |            |



#### GORDON WALKER

5 Moore Road, Aberdeen AB13 6BE Tel: 1234 80 63 62 mobile: 0555 456 890 e-mail: gordon@walker.co.uk

18 x 47 mn

| Printer C 40                |            |
|-----------------------------|------------|
| size of imprint             | 23 x 59 mm |
| colour of handle            |            |
| recommended number of lines | 6          |
| packaging                   |            |
| spare pad                   | E/40       |
| optional: cover             |            |
|                             |            |



#### **RED SKIES LTD**

Advertising Agency
Parker Tower 43
49 Parker St WC2B 5PS London
Tel: 55 74 30 63 00 - Fax: 55 74 30 63 19
e-mail: red@skies\_ltd.co.uk

23 x 59 mm

| Printer C 50                |            |
|-----------------------------|------------|
| size of imprint             | 30 x 69 mm |
| colour of handle            |            |
| recommended number of lines | 7          |
| packaging                   |            |
| spare pad                   | E/50/1     |



#### LANCASTER GARDEN PRODUCTS

**Gardening - Equipment and Supplies** 

Stockton Lane • York YO65 5UE Tel: 1555 40 01 41 Fax: 1555 40 01 85

e-mail: lancaster@garden.co.uk e-mail: garden@equip\_supplies.co.uk

30 x 69 mm

| Printer C 60                |            |
|-----------------------------|------------|
| size of imprint             | 37 x 76 mm |
| colour of handle            |            |
| recommended number of lines | 8          |
| packaging                   |            |
| spare pad                   | E/60       |



## BRITISH CARGO OVERSEAS INTERNATIONAL TRANSPORT LTD

North London Freight Centre York Way, Kings Cross, London N3 8BB Tel: 0123 456 7890 Fax: 0123 456 7891 sales@britishcargooverseas.co.uk www.britishcargooverseas.com

37 x 76 mm

#### 8 | PRINTER LINE Rectangular





## Henry Fauntleroy *Antiques*

398 Wayward Rd Leighton Buzzard LU8 1UA Tel: 01555 688777

20 x 30 mr

| Printer S 200               |            |
|-----------------------------|------------|
| size of imprint             | 24 x 45 mm |
| colour of handle            |            |
| recommended number of lines | 6          |
| packaging                   |            |
| spare pad                   | E/200      |





24 x 45 mm

| 30 x 45 mm |
|------------|
| 88888      |
| 7          |
|            |
| E/53       |
|            |



## The KENMORE Bar & Restaurant

The Square
Aberfeldy PH15 2HH
Tel:+44 1887 830205
Fax:+44 1887 830262
the-kenmore@restaurant.co.uk

30 x 45 mm

| Printer 35                  |            |
|-----------------------------|------------|
| size of imprint             | 30 x 50 mm |
| colour of handle            |            |
| recommended number of lines | 7          |
| packaging                   |            |
| spare pad                   | E/35       |



### \*\*\*\*\* HOTEL \*\*\*\*\* GRAND EDINBURGH

45-48 George Street Edinburgh EH1 1PA

Fax: +44 123 221460

e-mail: grand@edinburgh-hotel.co.uk

30 x 50 mm

| Printer 38                  |            |
|-----------------------------|------------|
| size of imprint             | 33 x 56 mm |
| colour of handle            |            |
| recommended number of lines | 7          |
| packaging                   |            |
| spare pad                   | E/38       |



#### PAY TO THE ORDER OF:

Dr. Peter Jones
Medical Practice

157 South Liberty Lane Bristol BS3 2TL Tel: 01234 555671

33 x 56 mm

| Printer 54                  |            |
|-----------------------------|------------|
| size of imprint             | 40 x 50 mm |
| colour of handle            |            |
| recommended number of lines | 8          |
| packaging                   |            |
| spare pad                   | E/54       |





40 x 50 mm

#### Rectangular | Oblong | Triangular PRINTER LINE | 9







40 x 60 mm

| Printer 05                  |           |
|-----------------------------|-----------|
| size of imprint             | 6 x 15 mm |
| colour of handle            | 888888    |
| recommended number of lines | 2         |
| packaging                   |           |
| spare pad                   | E/05      |



INSPECTED
David Cooper

| Printer 15                  |            |
|-----------------------------|------------|
| size of imprint             | 10 x 69 mm |
| colour of handle            |            |
| recommended number of lines | 3          |
| packaging                   |            |
| spare pad                   | E/15       |





| Printer 25                  |            |
|-----------------------------|------------|
| size of imprint             | 15 x 75 mm |
| colour of handle            |            |
| recommended number of lines | 4          |
| packaging                   |            |
| spare pad                   | E/25       |



Clifton Howard Kerrymore
Widow Peek Hotel Side Street
Newcastle Upon Tyne NE25 9JG
Tel: 01234 707033 - Fax: 01234 707034

15 x 75 mm

| Printer 45                  |            |
|-----------------------------|------------|
| size of imprint             | 25 x 82 mm |
| colour of handle            |            |
| recommended number of lines | 6          |
| packaging                   |            |
| spare pad                   | E/45       |



The Golden Dragon Restaurant
The Dragon Hotel Wellmeadow
Blairgowrie PH5 14NH
Tel: 01234 872455 - Fax: 01234 875615
e-mail: the-golden-dragon-restaurant@the-hotel.co.uk
e-mail: the-golden-dragon-hotel@the-hotel.co.uk


25 x 82 mm

| Printer T 45                |             |
|-----------------------------|-------------|
| size of imprint             | 45x45x45 mm |
| colour of handle            | 88888       |
| recommended number of lines | 6           |
| packaging                   |             |
| spare pad                   | E/T45       |





#### 10 | PRINTER LINE Square







| Printer Q 17                |            |
|-----------------------------|------------|
| size of imprint             | 17 x 17 mm |
| colour of handle            |            |
| recommended number of lines | 4          |
| packaging                   |            |
| spare pad                   | E/Q 17     |





| Printer Q 20                |            |
|-----------------------------|------------|
| size of imprint             | 20 x 20 mm |
| colour of handle            | 888888     |
| recommended number of lines | 5          |
| packaging                   |            |
| spare pad                   | E/Q 20     |





| Printer Q 24                |            |
|-----------------------------|------------|
| size of imprint             | 24 x 24 mm |
| colour of handle            |            |
| recommended number of lines | 6          |
| packaging                   |            |
| spare pad                   | E/Q 24     |





| 31 x 31 mm |
|------------|
|            |
| 7          |
|            |
| E/Q 30     |
|            |






| Printer Q 43                |            |
|-----------------------------|------------|
| size of imprint             | 43 x 43 mm |
| colour of handle            |            |
| recommended number of lines | 10         |
| packaging                   |            |
| spare pad                   | E/Q 43     |



| Route To:           |
|---------------------|
| ☐ Training Director |
| Personnel Director  |
| ☐ Office Manager    |
| □Sales Manager      |







| Printer R 17                |             |
|-----------------------------|-------------|
| size of imprint             | Ø 17 mm     |
| colour of handle            |             |
| recommended number of lines | 3           |
| packaging                   |             |
| spare pad                   |             |
| optional: keyring           | <b>+</b> (O |





| Ø 24 mm |
|---------|
|         |
| 4       |
|         |
|         |
|         |





| Printer R 30                   |                 |
|--------------------------------|-----------------|
| size of imprint                | Ø 30 mm         |
| colour of handle               |                 |
| recommended number of lines    | 5               |
| packaging                      |                 |
| spare pad                      |                 |
| optional: spare pad (2-colour) | <b>E/R 30/2</b> |





| Printer R 40                   |                 |
|--------------------------------|-----------------|
| size of imprint                | Ø 40 mm         |
| colour of handle               |                 |
| recommended number of lines    | 7               |
| packaging                      |                 |
| spare pad                      |                 |
| optional: spare pad (2-colour) | <b>E/R 40/2</b> |





#### 12 | PRINTER LINE Round | Oval

| Printer R 45                |         |
|-----------------------------|---------|
| size of imprint             | Ø 45 mm |
| colour of handle            |         |
| recommended number of lines | 9       |
| packaging                   |         |
| spare pad                   |         |





| Printer R 50                |         |
|-----------------------------|---------|
| size of imprint             | Ø 50 mm |
| colour of handle            |         |
| recommended number of lines | 9       |
| packaging                   |         |
| spare pad                   |         |
|                             |         |





| Printer Oval 44             |                  |
|-----------------------------|------------------|
| size of imprint             | 28 x 44 mm       |
| colour of handle            |                  |
| recommended number of lines | 5                |
| packaging                   |                  |
| spare pad                   | <b>E/Oval 44</b> |





| Printer Oval 55             |            |
|-----------------------------|------------|
| size of imprint             | 35 x 55 mm |
| colour of handle            |            |
| recommended number of lines | 6          |
| packaging                   |            |
| spare pad                   | E/Oval 55  |





| Printer 52-Dater            |            |
|-----------------------------|------------|
| size of imprint             | 20 x 30 mm |
| colour of handle            | 888888     |
| height of date              | 3 mm       |
| recommended number of lines | 3*         |
| packaging                   |            |
| spare pad                   | E/52       |





| Printer S 260                  |            |
|--------------------------------|------------|
| size of imprint                | 24 x 45 mm |
| colour of handle               |            |
| height of date                 | 4 mm       |
| recommended number of lines    | 3*         |
| packaging                      |            |
| spare pad                      | E/200      |
| optional: spare pad (2-colour) | E/200/2    |
| optional: Green Line           | Ø          |
|                                |            |





| Printer 53-Dater               |            |
|--------------------------------|------------|
| size of imprint                | 30 x 45 mm |
| colour of handle               | 888888     |
| height of date                 | 3 mm       |
| recommended number of lines    | 5 *        |
| packaging                      |            |
| spare pad                      | E/53       |
| optional: spare pad (2-colour) | E/53/2     |





30 x 45 mm

| Printer 35-Dater               |            |
|--------------------------------|------------|
| size of imprint                | 30 x 50 mm |
| colour of handle               | 888888     |
| height of date                 | 4 mm       |
| recommended number of lines    | 5*         |
| packaging                      |            |
| spare pad                      | E/35       |
| optional: spare pad (2-colour) | E/35/2     |





30 x 50 mn

| Printer 38-Dater               |            |
|--------------------------------|------------|
| size of imprint                | 33 x 56 mm |
| colour of handle               | 888888     |
| height of date                 | 4 mm       |
| recommended number of lines    | 5*         |
| packaging                      |            |
| spare pad                      | E/38       |
| optional: spare pad (2-colour) | E/38/2     |





33 x 56 mn

<sup>\*</sup> includes one line for the date

#### 14 | PRINTER LINE DATER Rectangular







40 x 50 mm

| Printer 55-Dater               |            |
|--------------------------------|------------|
| size of imprint                | 40 x 60 mm |
| colour of handle               | 866666     |
| height of date                 | 4 mm       |
| recommended number of lines    | 7 *        |
| packaging                      |            |
| spare pad                      | E/55       |
| optional: spare pad (2-colour) | E/55/2     |





40 x 60 mm

| Printer 60-Dater M          |            |
|-----------------------------|------------|
| size of imprint             | 37 x 76 mm |
| colour of handle            | 888888     |
| height of date              | 4 mm       |
| recommended number of lines | 7 *        |
| packaging                   |            |
| spare pad                   | E/60       |



# MULTI-PURPOSE BANK BERHAD Salak South Garden Branch RECEIVED 12 NOV 2025 62 Cross Street • Birmingham B65 8YT Tel.: 022 248 815127 • Fax. 022 248 815127-123

multi-purpose-bank@berhad.com • www.berhad.com

37 x 76 mm

| Printer 60-Dater Double Date |            |  |  |  |
|------------------------------|------------|--|--|--|
| Printer 60-Dater L/R         |            |  |  |  |
| size of imprint              | 37 x 76 mm |  |  |  |
| colour of handle             | 888888     |  |  |  |
| height of date               | 3 mm       |  |  |  |
| recommended number of lines  | 7 *        |  |  |  |
| packaging                    |            |  |  |  |
| spare pad                    | E/60       |  |  |  |



| Printer 60 | DD 🗀      | Printer 60 L | Printe   | r 60 R 🗀 |
|------------|-----------|--------------|----------|----------|
| Proj.:     | F&E:      | Constr.:     | Law.     | Appr.1   |
|            | 12 NOV 20 | 025          | 21 NOV 2 | 025      |
|            |           |              |          | Appr.2   |

37 x 76 mm

| Printer 60-Dater H          |            |
|-----------------------------|------------|
| size of imprint             | 76 x 37 mm |
| colour of handle            | 888888     |
| height of date              | 3 mm       |
| recommended number of lines | 16 *       |
| packaging                   |            |
| spare pad                   | E/60       |



| TED (ED | 25          |      |          |      | Appr.2 |
|---------|-------------|------|----------|------|--------|
| PECT    | 12 NOV 2025 |      |          |      |        |
| IN C    | Proj.:      | F&E: | Constr.: | Law. | Appr.1 |

76 x 37 mr

<sup>\*</sup> includes one line for the date

#### Square | Triangular | Oval PRINTER LINE DATER | 15

| Printer Q 24-Dater          |            |
|-----------------------------|------------|
| size of imprint             | 24 x 24 mm |
| colour of handle            | 888888     |
| height of date              | 2 mm       |
| recommended number of lines | 5 *        |
| packaging                   |            |
| spare pad                   | E/Q 24     |





| 24 |   | 4 |  |
|----|---|---|--|
| 74 | X |   |  |

| Printer Q 30-Dater          |            |
|-----------------------------|------------|
| size of imprint             | 31 x 31 mm |
| colour of handle            | 888888     |
| height of date              | 3 mm       |
| recommended number of lines | 5 *        |
| packaging                   |            |
| spare pad                   | E/Q 30     |





| Printer Q 43-Dater             |            |
|--------------------------------|------------|
| size of imprint                | 43 x 43 mm |
| colour of handle               | 888888     |
| height of date                 | 3 mm       |
| recommended number of lines    | 9 *        |
| packaging                      |            |
| spare pad                      | E/Q 43     |
| optional: spare pad (2-colour) | E/Q 43/2   |





| Printer T 45-Dater          |                 |
|-----------------------------|-----------------|
| size of imprint             | 45 x 45 x 45 mm |
| colour of handle            | 888888          |
| height of date              | 2 mm            |
| recommended number of lines | 5 *             |
| packaging                   |                 |
| spare pad                   | E/T 45          |





| Printer Oval 55-Dater       |            |  |
|-----------------------------|------------|--|
| size of imprint             | 35 x 55 mm |  |
| colour of handle            |            |  |
| height of date              | 3 mm       |  |
| recommended number of lines | 5 *        |  |
| packaging                   |            |  |
| spare pad                   | E/Oval 55  |  |





#### 16 | PRINTER LINE DATER Round

| Printer R 24-Dater          |         |
|-----------------------------|---------|
| size of imprint             | Ø 24 mm |
| colour of handle            |         |
| height of date              | 2 mm    |
| recommended number of lines | 2 *     |
| packaging                   |         |
| spare pad                   |         |





| Printer R 30-Dater          |         |
|-----------------------------|---------|
| size of imprint             | Ø 30 mm |
| colour of handle            |         |
| height of date              | 3 mm    |
| recommended number of lines | 4 *     |
| packaging                   |         |
| spare pad                   |         |






| Printer R 40-Dater             |                  |
|--------------------------------|------------------|
| size of imprint                | Ø 40 mm          |
| colour of handle               |                  |
| height of date                 | 3 mm             |
| recommended number of lines    | 6 *              |
| packaging                      |                  |
| spare pad                      |                  |
| optional: spare pad (2-colour) | E/R 40/1 DATER/2 |







| Printer R 45-Dater             |                |
|--------------------------------|----------------|
| size of imprint                | Ø 45 mm        |
| colour of handle               |                |
| height of date                 | 3 mm           |
| recommended number of lines    | 8 *            |
| packaging                      |                |
| spare pad                      |                |
| optional: spare pad (2-colour) | E/R 45 DATER/2 |





| Printer R 50-Dater             |                |
|--------------------------------|----------------|
| size of imprint                | Ø 50 mm        |
| colour of handle               |                |
| height of date                 | 4 mm           |
| recommended number of lines    | 8 *            |
| packaging                      |                |
| spare pad                      |                |
| optional: spare pad (2-colour) | E/R 50 DATER/2 |





<sup>\*</sup> includes one line for the date

**Printer Line** 





12 NOV 2025



123456





#### ORIGINAL

A I R M A I L D R A F T A P P R O V E D FILE C O P Y C A N C E L E D FIRST CLASS CONFIDENTIAL O R I G I N A L CONFIRMATION S H R E D C O P Y U R G E N T!

















| Printer S 226/P                |            |
|--------------------------------|------------|
| size of imprint                | 24 x 45 mm |
| colour of handle               |            |
| height of numbers              | 4 mm       |
| recommended number of lines    | 3 *        |
| packaging                      |            |
| spare pad                      | E/200      |
| optional: spare pad (2-colour) | E/200/2    |
| optional: special characters   | €#№        |





| Printer S 260                  |            |
|--------------------------------|------------|
| size of imprint                | 24 x 45 mm |
| colour of handle               |            |
| height of date                 | 4 mm       |
| recommended number of lines    | 3 *        |
| packaging                      |            |
| spare pad                      | E/200      |
| optional: spare pad (2-colour) | E/200/2    |
| optional: Green Line           | Ø          |





#### 18 | PRINTER LINE Printer Mini Line





12 NOV 2025



12. 11. 25





#### **APPROVED**

A I R M A I L C H E C K E D A P P R O V E D FILE C O P Y C A N C E L L E D FIRST C L A S S CONFIDENTIAL C R E D I T CONFIRMATION O V E R D U E C O P Y U R G E N T!





123456





12 NOV 2025 - 21 NOV 2025





1234567890123





#### URGENT 12 NOV 2025

APPROVED DELIVERED U R G E N T C R E D I T E-MAILED F A X E D CANCELLED P A I D C H AR G E D R E C E I V E D C H E C K E D S H I P P E D




















12 NOV 2025

| Mini-Dater S 160               |           |
|--------------------------------|-----------|
| size of imprint                | 5 x 25 mm |
| height of date                 | 4 mm      |
| recommended number of lines    | 3 *       |
| packaging                      |           |
| spare pad                      | E/10      |
| optional: spare pad (2-colour) | E/10/2    |



GEORGE BARET EXPORT DEPARTMENT

12 NOV 2025

| Mini-Dater S 160/DD         |             |
|-----------------------------|-------------|
| size of imprint             | 3,5 x 49 mm |
| height of date              | 4 mm        |
| recommended number of lines | 2 *         |
| packaging                   |             |
| spare pad                   | E/12        |



Please note our annual holiday:

12 NOV 2025 - 21 NOV 2025

| Mini-Print S 110            |           |
|-----------------------------|-----------|
| size of imprint             | 8 x 52 mm |
| recommended number of lines | 2         |
| packaging                   |           |
| spare pad                   | E/12      |



Henry Wellington - Managing Director 8 x 52 mm

<sup>\*</sup> includes one line for the date







#### **Printer Line Accessory**

| Imagecard Sheet A5                      |            |
|---|------------|
| Printer 20 + Printer 30 +<br>Printer 40 | 100 sheets |



| Imagecard Sheet A4 |           |
|--------------------|-----------|
| Printer 20         | 50 sheets |
| Printer 30         | 50 sheets |
| Printer 40         | 50 sheets |







# **Heavy Duty**

Extremely reliable marking devices

Comprehensive range for every use: from Classic Line and Expert Line for sturdy and heavy use up to the light weight Office Line.



Expert Line: Metal equals stability and durability - minimum 80% pure steel



Image window shows imprint and even offers space for further personalisation



Band cover for clean handling




Easy to change ink pads



EXPERT LINE: with antibacterial protection

CLASSIC LINE: with antibacterial protection









| 3360 Microban                  |            |
|--------------------------------|------------|
| size of imprint                | 30 x 45 mm |
| height of date                 | 4 mm       |
| recommended number of lines    | 5 *        |
| packaging                      |            |
| spare pad                      | E/2300     |
| optional: spare pad (2-colour) | E/2300/2   |
|                                |            |





30 x 45 mm

| 3660 Microban                  |            |
|--------------------------------|------------|
| size of imprint                | 37 x 58 mm |
| height of date                 | 4 mm       |
| recommended number of lines    | 7 *        |
| packaging                      |            |
| spare pad                      | E/2600     |
| optional: spare pad (2-colour) | E/2600/2   |





3860 Microban
size of imprint 49 x 68 mm
height of date 4 mm
recommended number of lines 9 \*
packaging F/2800





49 x 68 mr

optional: spare pad (2-colour)

E/2800/2

<sup>\*</sup> includes one line for the date

| 3100 Microban               |            |
|-----------------------------|------------|
| size of imprint             | 24 x 41 mm |
| recommended number of lines | 6          |
| packaging                   |            |
| spare pad                   | E/2100     |



#### JANET WEBBERLEY

WINIFRED HOUSE CORNELLS LANE WIDDINGTON ESSEX CB11 3SP TEL: 01799 540846

24 v 41 mm

| 3300 Microban               |            |
|-----------------------------|------------|
| size of imprint             | 30 x 45 mm |
| recommended number of lines | 7          |
| packaging                   |            |
| spare pad                   | E/2300     |



# SOLD BY PAUL' S PLUMBING SHOP

418 HILLSIDE AVENUE TAMPA, FLORIDA 94836 PHONE: 348-9762

30 x 45 mm

| 3400 Microban               |            |
|-----------------------------|------------|
| size of imprint             | 27 x 58 mm |
| recommended number of lines | 6          |
| packaging                   |            |
| spare pad                   | E/3400     |





7 x 58 mm

| 3600 Microban               |            |
|-----------------------------|------------|
| size of imprint             | 37 x 58 mm |
| recommended number of lines | 8          |
| packaging                   |            |
| spare pad                   | E/2600     |





37 x 58 mm

| 3700 Microban               |            |
|-----------------------------|------------|
| size of imprint             | 34 x 79 mm |
| recommended number of lines | 7          |
| packaging                   |            |
| spare pad                   | E/3700     |



## BRITISH CARGO OVERSEAS INTERNATIONAL TRANSPORT LTD

North London Freight Centre York Way, Kings Cross, London N3 8BB Tel: 0123 456 7890 Fax: 0123 456 7891 www.britishcargooverseas.com sales@britishcargooverseas.co.uk

34 x 79 mm

| R 3040-Dater Microban          |                   |
|--------------------------------|-------------------|
| size of imprint                | Ø 40 mm           |
| height of date                 | 4 mm              |
| recommended number of lines    | 7                 |
| packaging                      |                   |
| spare pad                      |                   |
| optional: spare pad (2-colour) | <b>E/R 2040/2</b> |





| R 3040 Microban   |  |
|-------------------|--|
| Ø 40 mm           |  |
| 7                 |  |
|                   |  |
|                   |  |
| <b>E/R 2040/2</b> |  |
|                   |  |





| 3800 Microban               |            |
|-----------------------------|------------|
| size of imprint             | 49 x 68 mm |
| recommended number of lines | 10         |
| packaging                   |            |
| spare pad                   | E/2800     |



| ALL DIMENSIONS ARE CERTIFIED AS ON ORIGINAL DRAFT       |       |  |
|---|-------|--|
| REVISIONS MADE ARE RECORDED AND FILED BY THE FOLLOWING: |       |  |
| Initials & Date   | Dept. |  |
| Initials & Date   | Dept. |  |
| Initials & Date   | Dept. |  |

| 3900 Microban               |             |
|-----------------------------|-------------|
| size of imprint             | 55 x 106 mm |
| recommended number of lines | 12          |
| packaging                   |             |
| spare pad                   | E/3900      |



#### **British Cargo Overseas International Transport LTD**


Office Department: Jack-Nick Olsen

North London Freight Centre York Way, Kings Cross, London N3 8BB E-Mail: office@britishcargooverseas.co.uk Homepage: www.britishcargooverseas.com

Signature & Order Number:

<sup>\*</sup> includes one line for the date

| 3960 Microban                  |             |  |  |
|--------------------------------|-------------|--|--|
| size of imprint                | 55 x 106 mm |  |  |
| height of date                 | 4 mm        |  |  |
| recommended number of lines    | 11 *        |  |  |
| packaging                      |             |  |  |
| spare pad                      | E/3900      |  |  |
| optional: spare pad (2-colour) | E/3900/2    |  |  |




| 3960 S3 / S4 Micro          | han         |
|-----------------------------|-------------|
| size of imprint             | 55 x 106 mm |
| height of date              | 4 mm        |
| recommended number of lines | 11 *        |
| packaging                   |             |
| spare pad                   | E/3900      |



| 3960 Double Date            | Microban    |
|-----------------------------|-------------|
| size of imprint             | 55 x 106 mm |
| height of date              | 4 mm        |
| recommended number of lines | 11 *        |
| packaging                   |             |
| spare pad                   | E/3900      |









| 2360 Microban                  |            |  |  |
|--------------------------------|------------|--|--|
| size of imprint                | 30 x 45 mm |  |  |
| height of date                 | 4 mm       |  |  |
| recommended number of lines    | 5 *        |  |  |
| packaging                      | 0666       |  |  |
| spare pad                      | E/2300     |  |  |
| optional: spare pad (2-colour) | E/2300/2   |  |  |
| optional: Green Line           | Ø          |  |  |





| 2460 Microban                  |            |  |  |
|--------------------------------|------------|--|--|
| size of imprint                | 27 x 58 mm |  |  |
| height of date                 | 4 mm       |  |  |
| recommended number of lines    | 5 *        |  |  |
| packaging                      |            |  |  |
| spare pad                      | E/2600     |  |  |
| optional: spare pad (2-colour) | E/2600/2   |  |  |



| LICENSE ISSUED |      |      |        |         |
|----------------|------|------|--------|---------|
|                | 12   | NOV  | 2025   |         |
| DEPART         | /ENT | OF M | OTOR V | EHICLES |

| 2660 Microban                  |            |
|--------------------------------|------------|
| size of imprint                | 37 x 58 mm |
| height of date                 | 4 mm       |
| recommended number of lines    | 7 *        |
| packaging                      | 0 6 6      |
| spare pad                      | E/2600     |
| optional: spare pad (2-colour) | E/2600/2   |
| optional: Green Line           | Ø          |





| 2860 Microban                  |            |  |  |
|--------------------------------|------------|--|--|
| size of imprint                | 49 x 68 mm |  |  |
| height of date                 | 4 mm       |  |  |
| recommended number of lines    | 9 *        |  |  |
| packaging                      |            |  |  |
| spare pad                      | E/2800     |  |  |
| optional: spare pad (2-colour) | E/2800/2   |  |  |





<sup>49</sup> x 68 mm

<sup>\*</sup> includes one line for the date

| 2100 Microban               |            |
|-----------------------------|------------|
| size of imprint             | 24 x 41 mm |
| recommended number of lines | 6          |
| packaging                   |            |
| spare pad                   | E/2100     |



#### **JANET WEBBERLEY**

WINIFRED HOUSE CORNELLS LANE WIDDINGTON ESSEX CB11 3SP TEL: 01799 540846

24 x 41 mm

| 2300 Microban               |            |
|-----------------------------|------------|
| size of imprint             | 30 x 45 mm |
| recommended number of lines | 7          |
| packaging                   |            |
| spare pad                   | E/2300     |
| optional: Green Line        | Ø          |



# SOLD BY PAUL' S PLUMBING SHOP

418 HILLSIDE AVENUE TAMPA, FLORIDA 94836

30 x 45 mm

| 2400 Microban               |            |
|-----------------------------|------------|
| size of imprint             | 27 x 58 mm |
| recommended number of lines | 6          |
| packaging                   |            |
| spare pad                   | E/2600     |





27 x 58 mm

| 2600 Microban               |            |
|-----------------------------|------------|
| size of imprint             | 37 x 58 mm |
| recommended number of lines | 8          |
| packaging                   |            |
| spare pad                   | E/2600     |
| optional: Green Line        | Ø          |






37 x 58 mm

| 2800 Microban               |            |
|-----------------------------|------------|
| size of imprint             | 49 x 68 mm |
| recommended number of lines | 10         |
| packaging                   |            |
| spare pad                   | E/2800     |



| ALL DIMENSIONS ARE CERTIFIED AS ON ORIGINAL DRAFT       |       |  |
|---|-------|--|
| REVISIONS MADE ARE RECORDED AND FILED BY THE FOLLOWING: |       |  |
| Initials & Date   | Dept. |  |
| Initials & Date   | Dept. |  |
| Initials & Date   | Dept. |  |







| R 2045 6 Microban              |                 |
|--------------------------------|-----------------|
| size of imprint                | Ø 45 mm         |
| height of date                 | 4 mm            |
| recommended number of lines    | 6 *             |
| packaging                      |                 |
| spare pad                      |                 |
| optional: spare pad (2-colour) | <b>E/R 45/2</b> |





| R 2045 UZ Microban             |                 |
|--------------------------------|-----------------|
| size of imprint                | Ø 40 mm         |
| height of date                 | 4 mm            |
| recommended number of lines    | 6 *             |
| packaging                      |                 |
| spare pad                      |                 |
| optional: spare pad (2-colour) | <b>E/R 45/2</b> |





| 2000/P Microban             |            |
|-----------------------------|------------|
| size of imprint             | 10 x 26 mm |
| height of date              | 4 mm       |
| recommended number of lines | 2 *        |
| packaging                   |            |
| spare pad                   | E/2600     |






| 2106/P Microban                |            |
|--------------------------------|------------|
| size of imprint                | 24 x 41 mm |
| height of numbers              | 4 mm       |
| recommended number of lines    | 3 *        |
| packaging                      |            |
| spare pad                      | E/2100     |
| optional: spare pad (2-colour) | E/2100/2   |
| optional: special characters   | €#№        |





<sup>\*</sup> includes one line for the date







| 30 x 58 mm |
|------------|
| 5 mm       |
| 5 *        |
|            |
| E/2600     |
| €#№        |
|            |





| 2100/3 2100/4<br>Microban Microba | 2000/5<br>nn Microban |
|-----------------------------------|-----------------------|
| height of date 2100/3             | 3 mm                  |
| height of date 2100/4             | 4 mm                  |
| spare pad <b>2100/3, 2100/4</b>   | E/2100                |
| height of date 2000/5             | 5 mm                  |
| spare pad <b>2000/5</b>           | E/2300                |
| packaging                         |                       |



 12 NOV 2025
 2100/3

 12 NOV 2025
 2100/4

 12 NOV 2025
 2000/4

| 2010<br>an Microban |
|---------------------|
| 4 mm                |
| E/2100              |
| 5 mm                |
| E/2600              |
|                     |
| € <sup>#</sup> Nº   |
|                     |



 123456
 2106

 12345678
 2008


 1234567890
 2010





#### BILLED 12 NOV 2025

| ANSWERED     | DELLVEDER |
|--------------|-----------|
| ANSWERED     | DELIVEREL |
| BACK ORDERED | ENTERED   |
| BILLED       | F A X E D |
| CANCELLED    | PAID      |
| CHARGED      | RECEIVED  |
| CHECKED      | SHIPPED   |







12 NOV 2025

FORD MOTOR CO.

DEPARTMENT OF MOTOR VEHICLES

30 x 45 mm

| S 660                          |            |
|--------------------------------|------------|
| size of imprint                | 37 x 58 mm |
| height of date                 | 4 mm       |
| recommended number of lines    | 7 *        |
| packaging                      |            |
| spare pad                      | E/2600     |
| optional: spare pad (2-colour) | E/2600/2   |



SOUTH CENTRAL DIVISION UNITED FOOD & COMMERCIAL WORKERS UNIONS AND EMPLOYEES

12 NOV 2025

HEALTH AND WELFARE TRUST 3200 EAST HIGHWAY 66 PHOENIX, AZ 75150

37 x 58 mm

| S 300                       |            |
|-----------------------------|------------|
| size of imprint             | 30 x 45 mm |
| recommended number of lines | 7          |
| packaging                   |            |
| spare pad                   | E/2300     |



# SOLD BY PAUL' S PLUMBING SHOP

418 HILLSIDE AVENUE TAMPA, FLORIDA 94836 PHONE: 348-9762

30 x 45 mm

| S 400                       |            |
|-----------------------------|------------|
| size of imprint             | 27 x 58 mm |
| recommended number of lines | 6          |
| packaging                   |            |
| spare pad                   | E/2600     |



## SOLD BY PAUL'S PLUMBING SHOP

418 HILLSIDE AVENUE TAMPA, FLORIDA 94836

27 x 58 mn

| S 600                       |            |
|-----------------------------|------------|
| size of imprint             | 37 x 58 mm |
| recommended number of lines | 8          |
| packaging                   |            |
| spare pad                   | E/2600     |





37 x 58 mm

<sup>\*</sup> includes one line for the date

# **Pocket Stamps**

Essential companions

Multifunctional and always with you - on your desk in the office, or "on the road" in a pocket, around the neck or on a keyring.



Pocket Stamp Plus: open - stamp - close with just one hand



Easy and flexible to use - effortless and clean



Small, smart and portable - with a clip it goes everywhere




COLOP's pen stamps are attractive writing implements, but with the added function of a practical stamp



Modern design the perfect gift for evervone



#### **Pocket Stamp Plus**












14 x 38 mm






#### **Pocket Stamp**





**WAYNE INDUSTRIES** 502 Gotham Lane, Gotham City, GC 10086 tel: 555 367-5634 • fax 555 367-5635

0 x 39 mm






GORDON WALKER
5 Moore Road, Aberdeen AB13 6BE
Tel: 1234 80 63 62
mobile: 0555 456 890
e-mail: gordon@walker.co.uk

18 x 47 mm

| Pocket Stamp Q 25           | ;               |
|-----------------------------|-----------------|
| size of imprint             | 25 x 25 mm      |
| colours                     |                 |
| recommended number of lines | 6               |
| packaging                   | 50              |
| spare pad                   | E/PocketStamp25 |











| Pocket Stamp R 25           |                 |
|-----------------------------|-----------------|
| size of imprint             | Ø 25 mm         |
| colours                     |                 |
| recommended number of lines | 4               |
| packaging                   | 50              |
| spare pad                   | E/PocketStamp25 |





| Pocket Stamp R 30           |                   |
|-----------------------------|-------------------|
| size of imprint             | Ø 32 mm           |
| colours                     |                   |
| recommended number of lines | 5                 |
| packaging                   | 50                |
| spare pad                   | E/PocketStamp R30 |






| Pocket Stamp R 40           |                   |
|-----------------------------|-------------------|
| size of imprint             | Ø 40 mm           |
| colours                     |                   |
| recommended number of lines | 7                 |
| packaging                   | 50                |
| spare pad                   | E/PocketStamp R40 |


















THOMAS A. JERRY

Mouse Avenue 123 Mice City, MC 191087 e-mail: thomas@jerry.com

| Stamp Mouse R 30            |         |
|-----------------------------|---------|
| size of imprint             | Ø 30 mm |
| colour of handle            |         |
| recommended number of lines | 5       |
| packaging                   |         |





| Stamp Mouse R 40            |         |
|-----------------------------|---------|
| size of imprint             | Ø 40 mm |
| colour of handle            |         |
| recommended number of lines | 7       |
| packaging                   |         |







| Accessory: Clip        |             |
|------------------------|-------------|
| clear-transparent clip | 109417      |
| packaging              | 25          |
|                        |             |
| Accessory: Lanyar      | d           |
| Accessory: Lanyar      | d<br>110001 |















| Stamp Writer Promotion      |           |
|-----------------------------|-----------|
| size of imprint             | 8 x 33 mm |
| colours                     | 1111      |
| recommended number of lines | 3         |
| cartridge                   |           |





| Pen Stamp Alu Magnet        |           |
|-----------------------------|-----------|
| size of imprint             | 8 x 33 mm |
| colours                     | 1111      |
| recommended number of lines | 3         |
| optional: exclusive case    |           |
| cartridge                   |           |





# **DIY Stamps**

Express yourself - impress the rest

The COLOP range of D-I-Y stamps combines the functional advantages of self-inking stamps with the ability to set and create an individual message. D-I-Y stamps are available as typical office stamps as well as handy portable stamps.



Attractive packaging - stands out in every retail outlet



Easy setting of an individual text plate using the tweezers supplied



Flexibility to change as often as required



With pictograms and symbols always on the leading edge



| Printer 20/1 Set      |                |
|-----------------------|----------------|
| size of imprint       | 14 x 38 mm     |
| colour of handle      |                |
| max. number of lines  | 4              |
| max. letters per line | 17             |
| type set              | TS 35 / 3.5 mm |
| packaging             |                |
| spare pad             | E/20           |



JANE WEBBERLY SCOTLAND ROAD 27 WEST LONDON CB11 3SP 01234 598067

| Printer 30/1 Set      |                |
|-----------------------|----------------|
| size of imprint       | 18 x 47 mm     |
| colour of handle      |                |
| max. number of lines  | 5              |
| max. letters per line | 21             |
| type set              | TS 35 / 3.5 mm |
| packaging             |                |
| spare pad             | E/30           |
|                       |                |



→ JANE WEBBERLY ← SCOTLAND ROAD 27
WEST LONDON CB11 3SP
01234 598067
e-m@il:MARY@WEB.com

18 x 47 mm

| Printer 30/2 Set      |                                  |
|-----------------------|----------------------------------|
| size of imprint       | 18 x 47 mm                       |
| colour of handle      |                                  |
| max. number of lines  | 5                                |
| max. letters per line | 21                               |
| type set              | TS 25 / 2.5 mm<br>TS 35 / 3.5 mm |
| packaging             |                                  |
| spare pad             | E/30                             |
|                       |                                  |



SCOTLAND ROAD 27
WEST ESSEX CB11 3SP
O1234 598067
e-m@il:MARY@WEB.com

| Printer 40/2 Set      |                                  |
|-----------------------|----------------------------------|
| size of imprint       | 23 x 59 mm                       |
| colour of handle      |                                  |
| max. number of lines  | 6                                |
| max. letters per line | 26                               |
| type set              | TS 25 / 2.5 mm<br>TS 35 / 3.5 mm |
| packaging             |                                  |
| spare pad             | E/40                             |



→ MARY JANE WEBBERLY ← SCOTLAND ROAD 27
WEST ESSEX CB11 3SP
01234 598067
Fax: 01234 598068
e-m@il:MARY@WEB.com

23 x 59 mm

| Printer 50/2 Set                  |                                  |
|-----------------------------------|----------------------------------|
| size of imprint                   | 30 x 69 mm                       |
| colour of handle                  |                                  |
| max. number of lines              | 8                                |
| max. letters per line             | 32                               |
| type set                          | TS 25 / 2.5 mm<br>TS 35 / 3.5 mm |
| packaging                         |                                  |
| spare pad                         | E/50/1                           |
| new design available from 01-2015 |                                  |



MARY JANE

→ WEBBERLY ←

SCOTLAND ROAD 27

WEST ESSEX


CB11 3SP

11234 598067

Fax: 01234 598068

e-m@il:MARY@WEB.com

0 x 69 mm







| Stamp Mouse 20 Set    |                |
|-----------------------|----------------|
| size of imprint       | 14 x 38 mm     |
| colour of handle      | 00000          |
| max. number of lines  | 4              |
| max. letters per line | 17             |
| type set              | TS 35 / 3.5 mm |
| packaging             |                |



MOUSE AVE. 115 MICE CITY, MC4058 THOMAS@JERRY.COM

| Stamp Mouse 30 Set    |                |
|-----------------------|----------------|
| size of imprint       | 18 x 47 mm     |
| colour of handle      | 00000          |
| max. number of lines  | 5              |
| max. letters per line | 21             |
| type set              | TS 35 / 3.5 mm |
| packaging             |                |



→ THOMAS JERRY ←

MOUSE AVENUE 115

MICE CITY, MC4058

e-m@il:THOMAS@JERRY.COM

http://www.THOMAS-JERRY.com

| Printer 15 Set        |                                  |
|-----------------------|----------------------------------|
| size of imprint       | 10 x 69 mm                       |
| colour of handle      | 888888                           |
| max. number of lines  | 2                                |
| max. letters per line | 31                               |
| type set              | TS 25 / 2.5 mm<br>TS 35 / 3.5 mm |
| packaging             |                                  |
| spare pad             | E/15                             |



MARY JANE WEBBERLEY « e-m@il:MARY.JANE@WEB.com

| Printer 55 Set        |                                  |
|-----------------------|----------------------------------|
| size of imprint       | 40 x 60 mm                       |
| colour of handle      | 888888                           |
| max. number of lines  | 10                               |
| max. letters per line | 27                               |
| type set              | TS 25 / 2.5 mm<br>TS 35 / 3.5 mm |
| packaging             |                                  |
| spare pad             | E/55                             |



WEBBERLEY HIGHLAND ROAD 27 WEST ESSEX →CB 11 3SP← **2** 0555 / 890 640 23 Fax: 0555 / 890 640 27 e-m@il:MARY.JANE@WEB.com www.MARY-JANE-WEBBERLEY.COM

| Printer S 260 Set              |              |
|--------------------------------|--------------|
| size of imprint                | 24 x 45 mm   |
| colour of handle               | 88888        |
| height of date                 | 4 mm         |
| max. number of lines           | 2            |
| max. letters per line          | 16           |
| type set                       | TS 40 / 4 mm |
| packaging                      | 0 6 6 6      |
| optional: spare pad (2-colour) | E/200/2      |





| 2360 Set Microban*             |                                  |
|--------------------------------|----------------------------------|
| size of imprint                | 30 x 45 mm                       |
| height of date                 | 4 mm                             |
| max. number of lines           | 4                                |
| max. letters per line          | 20                               |
| type set                       | TS 25 / 2.5 mm<br>TS 35 / 3.5 mm |
| packaging                      | 0 5 5 6                          |
| optional: spare pad (2-colour) | E/2300/2                         |





| 2160/RL Microban*              |            |
|--------------------------------|------------|
| size of imprint                | 24 x 41 mm |
| height of date                 | 4 mm       |
| max. number of lines           | 2          |
| height of phrase band          | 4 mm       |
| packaging                      |            |
| spare pad                      | E/2100     |
| optional: spare pad (2-colour) | E/2100/2   |






F A X E D
P A I D
R E C E I V E D
Ans'd ......
PAGE .....OF ......

| 2400 Set Microban* with Exchangeable Plates |                              |
|---|------------------------------|
| size of imprint                             | 27 x 58 mm                   |
| max. number of lines                        | 6                            |
| max. letters per line                       | 3 mm/26<br>4 mm/21           |
| type set                                    | TS 30 / 3 mm<br>TS 40 / 4 mm |
| packaging                                   |                              |
| spare pad                                   | E/2600                       |










| Alpha-numeric Typ | e Set TS 30  |
|-------------------|--------------|
| type set          | TS 30 / 3 mm |
| number of letters | 320          |
| Alpha-numeric Typ | e Set TS 40  |
| type set          | TS 40 / 4 mm |
| number of letters | 256          |
| packaging         |              |



# **Green Stamps**

We take responsibility

#### **COLOP Green Line**

The self-inking stamp range predominantly made from sustainable and recycled material. A minimum of between 65% and 80% recycled plastic is used.

#### **COLOP Liquid Wood**

This innovative and pioneering material is based on Lignin - a natural spin off from the paper industry.



Green Stamps are CO<sub>2</sub> neutral unavoidable CO<sub>2</sub> emissions are compensated by means of investment into climate protection projects (GOLD STANDARD Projects), based on the system boundary "cradle to gate".



The Classic Green Line handles are FSC® certified (Forest Stewardship Council®)



The Austrian Eco-Label is awarded by the Republic of Austria as represented by the Federal Ministry of Environment




The wood used in Liquid Wood originates exclusively from sustainable, certified forestry



Liquid Wood is
100% biodegradable.
Because the source
material wood is
CO<sub>2</sub>-neutral, Liquid
Wood also has a very







### MARY GREENSHINE

Greenwheel Park Ind Glasgow G34 9LS Tel: 1234 810058

14 x 38 mm





| Printer 30 Green Line       |            |
|-----------------------------|------------|
| size of imprint             | 18 x 47 mm |
| colour of handle            |            |
| recommended number of lines | 5          |
| packaging                   |            |
| spare pad                   | E/30       |



### **GORDON GREENLEAF**

Emerald-Green Lane Park Aberdeen AB13 7BE Tel: 1234 921068 e-mail: gordon@greenleaf.com

18 x 47 mm









### **GREEN LINE LTD**

Advertising Agency
Parker Tower 43
49 Parker St, London WC2B 5PS
Tel: 01234 743060 - Fax: 01234 743063
e-mail: green@line-ltd.co.uk

23 x 59 mm









12 NOV 2025





| Printer S 226 Green Line     |                   |
|------------------------------|-------------------|
| colour of handle             |                   |
| height of numbers            | 4 mm              |
| packaging                    |                   |
| spare pad                    | E/200             |
| optional: special characters | € <sup>#</sup> Nº |



123456









### ORIGINAL

AIR MAIL D R A F T APPROVED FILE COPY CANCELLED FIRST CLASS CONFIDENTIAL ORIGINAL
CONFIRMATION S H R E D C O P Y URGENT!





| Printer S 260 Green Line       |            |
|--------------------------------|------------|
| size of imprint                | 24 x 45 mm |
| colour of handle               |            |
| height of date                 | 4 mm       |
| recommended number of lines    | 3 *        |
| packaging                      |            |
| spare pad                      | E/200      |
| optional: spare pad (2-colour) | E/200/2    |
|                                |            |









| Printer S 260L Green Line      |            |
|--------------------------------|------------|
| size of imprint                | 24 x 45 mm |
| colour of handle               |            |
| height of date                 | 4 mm       |
| recommended number of lines    | 3 *        |
| packaging                      | 0 6 6      |
| spare pad                      | E/200      |
| optional: spare pad (2-colour) | E/200/2    |
|                                |            |









| 2300 Green Line             |            |
|-----------------------------|------------|
| size of imprint             | 30 x 45 mm |
| recommended number of lines | 7          |
| packaging                   |            |
| spare pad                   | E/2300     |







| 2360 Green Line             |            |
|-----------------------------|------------|
| size of imprint             | 30 x 45 mm |
| height of date              | 4 mm       |
| recommended number of lines | 5 *        |
| packaging                   |            |
| spare pad                   | E/2300     |


optional: spare pad (2-colour)

E/2300/2















37 x 58 mm

| 2660 Green Line                |            |
|--------------------------------|------------|
| size of imprint                | 37 x 58 mm |
| height of date                 | 4 mm       |
| recommended number of lines    | 7 *        |
| packaging                      |            |
| spare pad                      | E/2600     |
| optional: spare pad (2-colour) | E/2600/2   |



## \*\*\* Green Line \*\*\* INTERNATIONAL BANK PLC

### 12 NOV 2025

Green Lane 2-7 Moorgate, London EC4R 9JH Tel: 01234 767999, Fax: 01234 767998 e-mail: green@line\_inter-bank.co.uk



77 v 50 mr

### Liquid Wood

| Printer 20 Liquid Wood |  |
|------------------------|--|
| 14 x 38 mm             |  |
| 888888                 |  |
| 4                      |  |
|                        |  |
| E/20                   |  |
|                        |  |



### **MARY GREENSHINE**

Greenwheel Park Ind Glasgow G34 9LS Tel: 1234 810058

14 x 38 mn



| Printer 30 Liquid Wood      |            |
|-----------------------------|------------|
| size of imprint             | 18 x 47 mm |
| colour of handle            | 888888     |
| recommended number of lines | 5          |
| packaging                   |            |
| spare pad                   | E/30       |



### **GORDON GREENLEAF**

Emerald-Green Lane Park Aberdeen AB13 7BE Tel: 1234 921068 e-mail: gordon@greenleaf.com

18 x 47 mm



| Printer 40 Liquid Wood      |            |
|-----------------------------|------------|
| size of imprint             | 23 x 59 mm |
| colour of handle            | 899988     |
| recommended number of lines | 6          |
| packaging                   |            |
| spare pad                   | E/40       |



### **GREEN LINE LTD**

Advertising Agency
Parker Tower 43
49 Parker St, London WC2B 5PS
Tel: 01234 743060 - Fax: 01234 743063
e-mail: green@line-ltd.co.uk



<sup>23</sup> x 59 mm

<sup>\*</sup> includes one line for the date

Stamps with antibacterial protection

In daily life stamps are handled by many different people this means multiple hand impressions and the transfer of bacteria. Built-in during the point of manufacture, Microban\* antibacterial protection inhibits the growth of harmful bacteria.



The main touch points have Microban® antibacterial protection built-in



Unprotected surface

Right: Surface protected with Microban




COLOP are utilising Microban 3G Silver™ technology. Built-in during manufacture, it will not wash off or wear away.



COLOP regularly participate in the Microban Quality Assurance programme









10 x 2/ mn

| Printer 20 Microban         |            |
|-----------------------------|------------|
| size of imprint             | 14 x 38 mm |
| colour of handle            |            |
| recommended number of lines | 4          |
| packaging                   |            |
| spare pad                   | E/20       |



#### **MARY COOPER**

28 Hucclecote Road • Gloucester GL5 9TH
Tel: 1452 54 33 21
e-mail: mary@cooper.co.uk

14 x 38 mm

| Printer 30 Microban         |            |
|-----------------------------|------------|
| size of imprint             | 18 x 47 mm |
| colour of handle            |            |
| recommended number of lines | 5          |
| packaging                   |            |
| spare pad                   | E/30       |



### **GORDON WALKER**

5 Moore Road, Aberdeen AB13 6BE Tel: 1234 80 63 62 mobile: 0555 456 890 e-mail: gordon@walker.co.uk

8 x 47 mm

| Printer 40 Microban         |            |
|-----------------------------|------------|
| size of imprint             | 23 x 59 mm |
| colour of handle            |            |
| recommended number of lines | 6          |
| packaging                   |            |
| spare pad                   | E/40       |



### **RED SKIES LTD**

Advertising Agency
Parker Tower 43
49 Parker St WC2B 5PS London
Tel: 55 74 30 63 00 - Fax: 55 74 30 63 19
e-mail: red@skies\_ltd.co.uk

23 x 59 mm

| Printer 50 Microban               |            |
|-----------------------------------|------------|
| size of imprint                   | 30 x 69 mm |
| colour of handle                  |            |
| recommended number of lines       | 7          |
| packaging                         |            |
| spare pad                         | E/50/1     |
| new design available from 01-2015 |            |



### **LANCASTER GARDEN PRODUCTS**

Gardening - Equipment and Supplies Stockton Lane • York YO65 5UE

Tel: 1555 40 01 41 Fax: 1555 40 01 85

e-mail: lancaster@garden.co.uk e-mail: garden@equip\_supplies.co.uk

30 x 69 mn

| Printer 60 Microban               |            |
|-----------------------------------|------------|
| size of imprint                   | 37 x 76 mm |
| colour of handle                  |            |
| recommended number of lines       | 8          |
| packaging                         |            |
| spare pad                         | E/60       |
| new design available from 01-2015 |            |



## BRITISH CARGO OVERSEAS INTERNATIONAL TRANSPORT LTD

North London Freight Centre York Way, Kings Cross, London N3 8BB Tel: 0123 456 7890 Fax: 0123 456 7891 sales@britishcargooverseas.co.uk www.britishcargooverseas.com

37 x 76 mm

### Pocket Stamp Plus Microban®

| Pocket Stamp Plus           | 20 Microban |
|-----------------------------|-------------|
| size of imprint             | 14 x 38 mm  |
| colours                     |             |
| recommended number of lines | 4           |
| packaging                   | 25          |
| spare pad                   | E/PSP 20    |



### **MARY COOPER**

28 Hucclecote Road • Gloucester GL5 9TH
Tel: 1452 54 33 21
e-mail: mary@cooper.co.uk

14 x 38 mm

# **Spare Pads**

Quality parts that make the difference

COLOP spare pads are developed and produced to fit exactly for COLOP self-inking stamps - a perfect combination for perfect imprints.




exchange of spare pad



Sharp and clean imprints only with









Tel:0134 181891 - 5000

## Colop Spare Pads

The inks used in COLOP® pads for self-inking stamps are tested and certified as permanent, documentproof ink according to DIN (Deutsche Industrie Norm) ISO 14145-2.



Do not reink



packaging







### Spare Pads

| Printer 05  | E/05 |
|---|------|
| Printer 10 Printer C 10 Mini-Dater S 120 Mini-Folio S 126 Mini-Info S 120/W Mini-Dater S 160  | E/10 |
| Mini-Print S 110<br>Mini-Folio S 120/13<br>Mini Info-Dater S 120/WD<br>Mini-Dater S 120/DD<br>Mini-Dater S 120/P<br>Mini-Dater S 160/DD | E/12 |
| Printer 15  | E/15 |
| Printer 20<br>Printer C 20  | E/20 |
| Printer 25  | E/25 |
| Printer 30<br>Printer C 30  | E/30 |
| Printer 35<br>Printer 35-Dater  | E/35 |
| Printer 38<br>Printer 38-Dater  | E/38 |
| Printer 40<br>Printer C 40  | E/40 |

| Printer 45   | E/45   |
|--|--------|
| Printer 50<br>Printer C 50   | E/50/1 |
| Printer 52<br>Printer 52-Dater                                     | E/52   |
| Printer 53<br>Printer 53-Dater                                     | E/53   |
| Printer 54<br>Printer 54-Dater                                     | E/54   |
| Printer 55<br>Printer 55-Dater                                     | E/55   |
| Printer 60<br>Printer C 60<br>Printer 60-Dater                     | E/60   |
| Printer R 12   | E/R 12 |
| Printer R 17   | E/R 17 |
| Printer R 24<br>Printer R 24-Dater                                 | E/R 24 |
| Printer R 30<br>Printer R 30-Dater                                 | E/R 30 |
| Printer R 40 Printer R 40-Dater Printer R 40-Dater - "12/24-Hours" | E/R 40 |
| Printer R 45<br>Printer R 45-Dater<br>Classic R 2045               | E/R 45 |

| Classic R 2045 6<br>Classic R 2045 UZ - "12/24-Hours"                                   | E/R 45    |
|---|-----------|
| Printer R 50<br>Printer R 50-Dater  | E/R 50    |
| Printer Oval 44   | E/Oval 44 |
| Printer Oval 55<br>Printer Oval 55-Dater  | E/Oval 55 |
| Printer T 45<br>Printer T 45-Dater  | E/T 45    |
| Printer Q 12  | E/Q 12    |
| Printer Q 17  | E/Q 17    |
| Printer Q 20  | E/Q 20    |
| Printer Q 24<br>Printer Q 24-Dater  | E/Q 24    |
| Printer Q 30<br>Printer Q 30-Dater  | E/Q 30    |
| Printer Q 43<br>Printer Q 43-Dater  | E/Q 43    |
| Printer S 200 Printer S 260 Printer S 220 Printer S 220/W Printer S 226 Printer S 226/P | E/200     |



| 2-Colour Ink Pads  |            |
|--|------------|
| Printer 38-Dater   | E/38/2     |
| Expert R 3040-Dater  | E/R 2040/2 |
| Classic 2160<br>Classic 2160/RL<br>Classic 2106/P<br>Expert 3160                 | E/2100/2   |
| Classic 2360<br>Classic 2006/P<br>Expert 3360<br>Office S 360<br>Office S 360/RL | E/2300/2   |
| Classic 2460<br>Classic 2660<br>Expert 3660<br>Office S 660                      | E/2600/2   |
| Classic 2860<br>Expert 3860  | E/2800/2   |
| Expert 3960  | E/3900/2   |



Pen Stamp Alu Magnet

D1

### Felt Pads

Spare pads are also available as felt pads, with the exception of those marked with \*. Felt pads are used for special inks like oil or solvent based inks, i.e. COLOP Quick Drying Ink 802.

#### Ink Pads for Other Models

COLOP offers a wide range of ink pads for stamp devices from other manufacturers. Further details are available upon request.

# **Band Stamps**

Tradition in reliable quality

Traditional rubber stamps with deep moulded bands for use with a separate stamp pad. Available as date stamps or numbering stamps.



Economical and functional – available in many different sizes and character measures



A sturdy metal frame makes this band stamp a longlasting marking device



Special character bands are available for the majority of the models



Ergonomically designed handles for comfortable use



COLOR

04000/WD





### FAXED 1 2 NOV 2025

ANSWERED DELIVERED BACK ORDERED ENTERED BILLEDFAXED CANCELLEDPAIDCHARGEDCHECKEDSHIPPED

| 03000 / 03000 SD |   |   |    |   |  |  |
|------------------|---|---|----|---|--|--|
| height of date   |   | 3 | mm |   |  |  |
| packaging        | Õ |   | 10 | 6 |  |  |





12 NOV 2025 12. 11. 25

12 NOV 2025 12. 11. 25



| 07000          |      |
|----------------|------|
| height of date | 7 mm |
| packaging      |      |





12 NOV 2025

1 2 NOV 2025

12 NOV 2025

| 12000          |    |    |   |
|----------------|----|----|---|
| height of date | 12 | mm |   |
| packaging      |    | 2  | B |


| 15000          |       |   |
|----------------|-------|---|
| height of date | 15 mm |   |
| packaging      |       | 3 |

| 18000          |   |    |    |   |
|----------------|---|----|----|---|
| height of date |   | 18 | mm |   |
| packaging      | Õ |    | 2  | 6 |


1 2. 11. 2025


1 2. 11. 2025

12.11.2025











03004 1234 03006 123456 03008 12345678 03010 1234567890 03012 123456789012

1 2 3 4 5 6 7 8 9 0 1 2 4 mm 04004 04006 04008 04010 04012

1 2 3 4 5 6 7 8 9 0 1 2 5 mm 05004 05006 05008 05010 05012

1 2 3 4 5 6 7 8 9 0 1 2

7 mm

123456789012

9 mm

12 mm

15 mm

09004 09006 09008 09010 09012

123456789012

123456789012

123456789012


18 mm 18004 18006 18008 18010 18012

|  | Bands and more |
|--|----------------|

| Band   | Band "Standard" | Band "Euro" | Band "kg" | Band "c" | Band "x" | Band "¼" | Band "A-M"          | Band "N-Z"          |
|--|-----------------|-------------|-----------|----------|----------|----------|---------------------|---------------------|
| Band consists of                                       | 0 - 9           | 0 - 9       | 0 - 9     | 0 - 9    | 0 - 9    | 0 - 9    | Band<br>consists of | Band<br>consists of |
| numbers 0-9 as<br>well as the special                  | /               | Nº          | kg        | ,        | /        | 1/4      | letters A - M       | letters N - Z       |
| characters. A blank is included with every band except | -               | €           | %         | F        | -        | 1/2      |                     |                     |
| "Euro".  |                 | #           | /         | ¢        | X        | 3/4      | Without spec        | cial characters     |
|  |                 | \$          |           |          |          |          | and nu              | mbers               |


Following items are available with the bands mentioned above in any order:

| Iter         | n          | Height of characters | Number<br>of bands | Sample imprint                              |
|--------------|------------|----------------------|--------------------|---|
| 0            | S 226 SZ   | 4 mm                 | 6                  | 24,50%                                      |
| \$ 200       | S 226/P SZ | 4 mm                 | 6                  | € 9 0 , 2 0                                 |
|              |            |                      |                    |   |
|              | 2106 SZ    | 4 mm                 | 6                  | # 5 8 9 4 2                                 |
| ш            | 2106/P SZ  | 4 mm                 | 6                  | 454,5 kg                                    |
| CLIN         | 2008 SZ    | 5 mm                 | 8                  | № 807/124                                   |
| CLASSIC LINE | 2008/P SZ  | 5 mm                 | 8                  | A B - 5 9 0 1 3                             |
| 0            | 2010 SZ    | 5 mm                 | 10                 | S A 1 0 0 1 0 0 4 5                         |
|              | 2010/P SZ  | 5 mm                 | 10                 | \$ 2 8 , 6 5 3 , 4 6                        |
|              |            |                      |                    |   |
|              | 03000 SZ   | 3 mm                 |                    | # 2 6 7 9 / 4 6 - 4 6 7                     |
|              | 04000 SZ   | 4 mm                 |                    | 7 6 9 4 8 2 4 6 5 1 M N                     |
|              | 05000 SZ   | 5 mm                 |                    | A 6 4 6 - 6 7 6 / 4 4 2                     |
| Sc           | 07000 SZ   | 7 mm                 |                    | $0\ 0\ 0\ 0\ 0\ 4\ 6\ 6\ 7\ ,\ 8\ 8\ kg$    |
| BAND STAMPS  | 09000 SZ   | 9 mm                 | 4, 6, 8,<br>10, 12 | 0 C 0 0 0 0 8 9 0 / 0 9                     |
|              | 12000 SZ   | 12 mm                |                    | 1,2x0,8x1,5M                                |
|              | 15000 SZ   | 15 mm                | No V               | 1790/08 12010 12012<br>1790/088 12010 12012 |
|              |            |                      | 11 -               | 15004 15006 15008 15010 15012               |









| P 700 Special Plates |   |   |    |  |  |  |
|----------------------|---|---|----|--|--|--|
| height of date       |   | 4 | mm |  |  |  |
| packaging            | Õ |   |    |  |  |  |


| Special Plate sizes |              |  |  |  |  |
|---------------------|--------------|--|--|--|--|
| P 700/S1            | 100 x 100 mm |  |  |  |  |
| P 700/S2            | 90 x 55 mm   |  |  |  |  |
| P 700/S3            | 35 x 75 mm   |  |  |  |  |
| P 700/S4            | 35 x 75 mm   |  |  |  |  |
| P 700/S5            | 35 x 54 mm   |  |  |  |  |
| P 700/S6            | 35 x 54 mm   |  |  |  |  |
| P 700/S7            | 55 x 65 mm   |  |  |  |  |
| P 700/S8            | 90 x 55 mm   |  |  |  |  |
| P 700/S9            | 120 x 120 mm |  |  |  |  |

Other special plate sizes and date positions upon request



P 700/S5 35 x 54 mm 12 NOV 2025 12 NOV 2025 P 700/S6 35 x 54 mm


P 700/S3 35 x 75 mm 12 NOV 12 NOV 2025 P 700/S4 35 x 75 mm



12 NOV 2025

| Stamp Pads Macro                 |              |  |  |  |  |
|----------------------------------|--------------|--|--|--|--|
| size of Macro pad 1              | 100 x 200 mm |  |  |  |  |
| size of Macro pad 2              | 150 x 200 mm |  |  |  |  |
| size of Macro pad 3              | 120 x 300 mm |  |  |  |  |
| colours                          |              |  |  |  |  |
| packaging                        |              |  |  |  |  |
| Other special sizes upon request |              |  |  |  |  |











Numrex 5

123456

Numrex 6

















| Stamp Pad Ink 801                                       |            |  |  |  |  |  |
|---|------------|--|--|--|--|--|
| content   | 25 ml      |  |  |  |  |  |
| colours   | <b>444</b> |  |  |  |  |  |
| packaging   | 2 10       |  |  |  |  |  |
| water-based ink for foam and felt pads                  |            |  |  |  |  |  |
| for use with rubber text plates and polymer text plates |            |  |  |  |  |  |
| application: for all absorptive materials               |            |  |  |  |  |  |





| Quick Drying Ink 802                                       |             |        |
|--|-------------|--------|
| content  | 25 ml       | 250 ml |
| colours  | <b>666</b>  | 888    |
| packaging  |             | 10     |
| solvent based Ink for felt pads                            |             |        |
| for use with rubber text plates                            |             |        |
| application: for all absorptive and materials except PE/PP | non absorpt | ive    |
|  |             |        |



| Ultraviolet Ink 804  |       |        |
|--|-------|--------|
| content  | 25 ml | 250 ml |
| colours  | 8886  | 3888   |
| packaging  |       | 10     |
| ink for standard pads and felt pads, visible under ultraviolet light |       |        |
| for use with rubber text plates and polymer text plates              |       |        |
| application: for all absorptive materials                            |       |        |



| Archival Permanent Ink 805                    |        |  |
|---|--------|--|
| 25 ml   | 250 ml |  |
| 8888  | 3888   |  |
|   | 10     |  |
| oil based ink for standard pads and felt pads |        |  |
| for use with rubber text plates               |        |  |
| application: for all absorptive materials     |        |  |
|   | 25 ml  |  |





Other special inks upon request.







| Ø 51 mm |
|---------|
| 0 6 6 6 |
|         |
|         |





| Embossing Press |            |
|-----------------|------------|
| size of imprint | 25 x 50 mm |
| packaging       |            |
| inclusive case  |            |





| <b>Embossing Press Socket</b> |            |
|-------------------------------|------------|
| size                          | 98 x 55 mm |

| Embossing Press Labels |                 |
|------------------------|-----------------|
| size                   | Ø 55 mm         |
| pcs.                   | 250 pcs. / roll |





| Laser Engravable Die Material |  |
|-------------------------------|--|
| for Embossing Presses         |  |

| for Embossing Presses |        |
|-----------------------|--------|
| size                  | A5     |
| thickness             | 1,5 mm |



### **Laser Rubber**

| Standard Laser Rubber |            |
|-----------------------|------------|
| size                  | A4         |
| hardness              | 60 Shore A |
| thickness             | 2,3 mm     |
| packaging             |            |



| Odourless Laser Rubber |            |  |
|------------------------|------------|--|
| size                   | A4         |  |
| hardness               | 60 Shore A |  |
| thickness              | 2,3 mm     |  |
| packaging              |            |  |



| Odourless Economy | Laser Rubber |
|-------------------|--------------|
| size              | A4           |
| hardness          | 55 Shore A   |
| thickness         | 2,3 mm       |
| packaging         |              |



### Imagepac

| Imagepac         | Thickness | Packaging |
|------------------|-----------|-----------|
| Imagepac A4      | 2,3 mm    | 5 pcs.    |
| Imagepac A5      | 2,3 mm    | 10 pcs.   |
| Imagepac A6      | 2,3 mm    | 5 pcs.    |
| Imagepac A7      | 2,3 mm    | 10 pcs.   |
| Imagepac A8      | 2,3 mm    | 20 pcs.   |
| Imagepac XTRA A4 | 2,3 mm    | 5 pcs.    |
| Imagepac XTRA A5 | 2,3 mm    | 10 pcs.   |
| Imagepac XTRA A6 | 2,3 mm    | 5 pcs.    |
| Imagepac XTRA A7 | 2,3 mm    | 10 pcs.   |
| Imagepac XTRA A8 | 2,3 mm    | 20 pcs.   |



### **Photopolymer**

## Photopolymer VX55 content 1kg / 18 kg











| Cover Film |                     |
|------------|---------------------|
| size       | A3, A4, A5          |
| content A3 | 500 mm x 180 m/roll |
| content A4 | 315 mm x 180 m/roll |
| content A5 | 200 mm x 50 m/roll  |

| Backing Sheet |            |
|---------------|------------|
| size          | A3, A4, A5 |
| content       | 100 sheets |





| lmageblack Film |           |
|-----------------|-----------|
| size            | A4        |
| content         | 50 sheets |































































### WWW.COLOP.COM

